ELSEVIER

Brain Research 862 (2000) 308–310

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abraham, C.R., see Sloane, J.A. (862) 1
Ábrahám, H. and Lázár, G.
Early microglial reaction following mild forebrain ischemia induced by common carotid artery occlusion in rats (862) 63
Anderson, C.W., see Harwood, D.V. (862) 288
Aoki, M., see Narimatsu, E. (862) 284
Asami, S., see Duvauchelle, C.L. (862) 49
Atack, J.R., see Chadha, A. (862) 280

Baker, S.R., see Moldrich, R.X. (862) 270
Bard, C., see Khiat, A. (862) 301
Barden, N., see Farisse, J. (862) 145
Beart, P.M., see Moldrich, R.X. (862) 270
Beck, B., see Richy, S. (862) 276
Belayev, L., see Liu, Y. (862) 111
Billington, C.J., see Kim, E.-M. (862) 11
Bing, G., see Kim, H.-C. (862) 247
Borin, G., see Ceccon, M. (862) 83
Boulanger, Y., see Khiat, A. (862) 301
Boulenguez, P., see Farisse, J. (862) 145
Bromm, B., see Reinert, A. (862) 103
Bueno-López, J.L., see Gómez-Urquijo, S.M. (862) 171
Burlet, A., see Richy, S. (862) 276
Burlet, C., see Richy, S. (862) 276
Busto, R., see Liu, Y. (862) 111

Carey, M.B. and Matsumoto, S.G.
Calcium transient activity in cultured murine neural crest cells is regulated at the IP_3 receptor (862) 201
Carey, R., Damianopoulos, E. and DePalma, G.
The 5-HT_{1A} antagonist WAY 100635 can block the low-dose locomotor stimulant effects of cocaine (862) 242
Castaneda, E., see Duvauchelle, C.L. (862) 49
Ceccon, M., Giusti, P., Facci, L., Borin, G., Imbesi, M., Floreani, M. and Skaper, S.D.
Intracellular glutathione levels determine cerebellar granule neuron sensitivity to excitotoxic injury by kainic acid (862) 83
Chadha, A., Howell, O., Atack, J.R., Sur, C. and Duty, S.
Changes in [^{3}H]zolpidem and [^{3}H]Ro 15-1788 binding in rat globus pallidus and substantia nigra pars reticulata following a nigrostriatal tract lesion (862) 280
Cheung, N.S., see Moldrich, R.X. (862) 270
Cross, A.J., see Sydserff, S.G. (862) 59

Damianopoulos, E., see Carey, R. (862) 242
Davis, W.L., see Hamamoto, D.T. (862) 217
DePalma, G., see Carey, R. (862) 242
Dreshaj, I.A., see Tolentino-Silva, F.P. (862) 26
Duty, S., see Chadha, A. (862) 280
Duvauchelle, C.L., Ikegami, A., Asami, S., Robens, J., Kressin, K. and Castaneda, E.
Effects of cocaine context on NAcc dopamine and behavioral activity after repeated intravenous cocaine administration (862) 49

Ernsberger, P., see Tolentino-Silva, F.P. (862) 26

Facci, L., see Ceccon, M. (862) 83
Farisse, J., Héry, F., Barden, N., Héry, M. and Boulenguez, P.
Central 5-HT_1 and 5-HT_2 binding sites in transgenic mice with reduced glucocorticoid receptor number (862) 145
Faude, F., see Pannicke, T. (862) 187
Favrel, P., see Henry, J. (862) 162
Fekete, C., Mihály, E., Herscovici, S., Salas, J., Tu, H., Larsen, P.R. and Lechan, R.M.
DARPP-32 and CREB are present in type 2 iodothyronine deiodinase-producing tanycytes: implications for the regulation of type 2 deiodinase activity (862) 154
Floreani, M., see Ceccon, M. (862) 83
Forkey, M.W., see Hamamoto, D.T. (862) 217
Fukumoto, D., see Tsukada, H. (862) 180

Gerics, B., see Hajós, F. (862) 43
Gibson, M.J., see Wu, T.J. (862) 238
Ginsberg, M.D., see Liu, Y. (862) 111
Giusti, P., see Ceccon, M. (862) 83
Gómez-Urquijo, S.M., Reblet, C., Bueno-López, J.L. and Gutiérrez-Ibarluzea, I.
GABAergic neurons in the rabbit visual cortex: percentage, layer distribution and cortical projections (862) 171
Grace, M.K., see Kim, E.-M. (862) 11
Green, A.R., see Sydserff, S.G. (862) 59
Gutiérrez-Ibarluzea, I., see Gómez-Urquijo, S.M. (862) 171

Hajós, F., Halasy, K., Gerics, B., Szalay, F., Michaloudi, E. and Papadopoulos, G.C.
Ovarian cycle-related changes of glial fibrillary acidic protein (GFAP) immunoreactivity in the rat interpeduncular nucleus (862) 43
Halasy, K., see Hajós, F. (862) 43
Hamamoto, D.T., Forkey, M.W., Davis, W.L., Kajander, K.C. and Simone, D.A.
The role of pH and osmolarity in evoking the acetic acid-induced wiping response in a model of nociception in frogs (862) 217
Harwood, D.V. and Anderson, C.W.
Evidence for the anatomical origins of hypoglossal afferents in the tongue of the Leopard frog, *Rana pipiens* (862) 288
Haxhiu, M.A., see Tolentino-Silva, F.P. (862) 26
Henry, J., Zatylny, C. and Favrel, P.
HPLC and electrospray ionization mass spectrometry as tools for the identification of APGWamide-related peptides in gastropod and bivalve mollusks: comparative activities on *Mytilus* muscles (862) 162
Herscovici, S., see Fekete, C. (862) 154
Héry, F., see Farisse, J. (862) 145
Héry, M., see Farisse, J. (862) 145
Hitosugi, H., see Kamei, J. (862) 257
Hollander, W., see Sloane, J.A. (862) 1
Howell, O., see Chadha, A. (862) 280

Ikegami, A., see Duvauchelle, C.L. (862) 49
Ikegaya, Y., see Itokazu, N. (862) 211
Imbesi, M., see Ceccon, M. (862) 83
Iseki, E., see Takahashi, M. (862) 253
Ishida, Y., see Ishizuka, Y. (862) 17
Ishizuka, Y., Ishida, Y., Jin, Q.-H., Kato, K., Kunitake, T., Mitsuyama, Y. and Kannan, H.
Differential profiles of nitric oxide and norepinephrine releases in the paraventricular nucleus region in response to mild footshock in rats (862) 17
Itokazu, N., Ikegaya, Y., Nishikawa, M. and Matsuki, N.
Bidirectional actions of docosahexaenoic acid on hippocampal neurotransmissions in vivo (862) 211

0006-8993/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(00)02268-X

Jeannerod, M., see Paccalin, C. (862) 194
Jen, P.H.-S. and Zhang, J.
The role of GABAergic inhibition on direction-dependent sharpening of frequency tuning in bat inferior collicular neurons (862) 127
Jhoo, W.-K., see Kim, H.-C. (862) 247
Jin, Q.-H., see Ishizuka, Y. (862) 17
Jones, J.A., see Sydserff, S.G. (862) 59

Kajander, K.C., see Hamamoto, D.T. (862) 217
Kakiuchi, T., see Tsukada, H. (862) 180
Kamei, J., Taki, K., Ohsawa, M. and Hitosugi, H.
Modulation of the formalin-induced nociceptive response by diabetes: possible involvement of intracellular calcium (862) 257
Kannan, H., see Ishizuka, Y. (862) 17
Kato, A. and Sakuma, Y.
Neuronal activity in female rat preoptic area associated with sexually motivated behavior (862) 90
Kato, K., see Ishizuka, Y. (862) 17
Kemper, T., see Sloane, J.A. (862) 1
Khiat, A., Bard, C., Lacroix, A. and Boulanger, Y.
Recovery of the brain choline level in treated Cushing's patients as monitored by proton magnetic resonance spectroscopy (862) 301
Kim, E.-M., O'Hare, E., Grace, M.K., Welch, C.C., Billington, C.J. and Levine, A.S.
ARC POMC mRNA and PVN α-MSH are lower in obese relative to lean Zucker rats (862) 11
Kim, H.-C., Jhoo, W.-K., Shin, E.-J. and Bing, G.
Selenium deficiency potentiates methamphetamine-induced nigral neuronal loss; comparison with MPTP model (862) 247
Koga, K., see Tsukada, H. (862) 180
Kosaka, K., see Takahashi, M. (862) 253
Kressin, K., see Duvauchelle, C.L. (862) 49
Kunitake, T., see Ishizuka, Y. (862) 17
Kurasawa, M., see Nakamura, K. (862) 266
Kwan, A.-L., see Solenski, N.J. (862) 262

Lacroix, A., see Khiat, A. (862) 301
Larsen, P.R., see Fekete, C. (862) 154
Lázár, G., see Ábrahám, H. (862) 63
Lechan, R.M., see Fekete, C. (862) 154
Levine, A.S., see Kim, E.-M. (862) 11
Liu, Y., Belayev, L., Zhao, W., Busto, R. and Ginsberg, M.D.
MRZ 2/579, a novel uncompetitive *N*-methyl-D-aspartate antagonist, reduces infarct volume and brain swelling and improves neurological deficit after focal cerebral ischemia in rats (862) 111

Magariños, A.M., see Reagan, L.P. (862) 292
Matsuki, N., see Itokazu, N. (862) 211
Matsumoto, S.G., see Carey, M.B. (862) 201
Max, J.-P., see Richy, S. (862) 276
McCall, A.L., see Reagan, L.P. (862) 292
McEwen, B.S., see Reagan, L.P. (862) 292
Michaloudi, E., see Hajós, F. (862) 43
Mihály, E., see Fekete, C. (862) 154
Misawa, M., see Yajima, Y. (862) 120
Mitsuyama, Y., see Ishizuka, Y. (862) 17
Mizoguchi, H., see Yajima, Y. (862) 120
Moldrich, R.X., Cheung, N.S., Pascoe, C.J., Baker, S.R., Pedregal, C. and Beart, P.M.
Excitotoxic profile of LY339434, a GluR5 agonist, in cultured murine cortical neurons (862) 270
Moss, M.B., see Sloane, J.A. (862) 1
Murray, T.K., see Sydserff, S.G. (862) 59

Nagase, H., see Yajima, Y. (862) 120
Nakamura, K., Kurasawa, M. and Shirane, M.
Impulsivity and AMPA receptors: aniracetam ameliorates impulsive behavior induced by a blockade of AMPA receptors in rats (862) 266
Narimatsu, E. and Aoki, M.
Transient depression of excitatory synaptic transmission induced by adenosine uptake inhibition in rat hippocampal slices (862) 284
Narita, M., see Yajima, Y. (862) 120
Nishikawa, M., see Itokazu, N. (862) 211
Nishiyama, S., see Tsukada, H. (862) 180

O'Hare, E., see Kim, E.-M. (862) 11
Ohsawa, M., see Kamei, J. (862) 257
Osborne, N.N., see Safa, R. (862) 36

Paccalin, C. and Jeannerod, M.
Changes in breathing during observation of effortful actions (862) 194
Pannicke, T., Faude, F., Reichenbach, A. and Reichelt, W.
A function of delayed rectifier potassium channels in glial cells: maintenance of an auxiliary membrane potential under pathological conditions (862) 187
Papadopoulos, G.C., see Hajós, F. (862) 43
Pascoe, C.J., see Moldrich, R.X. (862) 270
Pedregal, C., see Moldrich, R.X. (862) 270
Pérez-Severiano, F., Ríos, C. and Segovia, J.
Striatal oxidative damage parallels the expression of a neurological phenotype in mice transgenic for the mutation of Huntington's disease (862) 234

Raofi, S., Wong, P.K.Y. and Wilcox, R.E.
Modulation of G-protein linked cAMP accumulation in immortalized murine cortical astrocytes by retroviral infection (862) 230
Reagan, L.P., Magariños, A.M., Yee, D.K., Swzeda, L.I., Van Bueren, A., McCall, A.L. and McEwen, B.S.
Oxidative stress and HNE conjugation of GLUT3 are increased in the hippocampus of diabetic rats subjected to stress (862) 292
Reblet, C., see Gómez-Urquijo, S.M. (862) 171
Reichelt, W., see Pannicke, T. (862) 187
Reichenbach, A., see Pannicke, T. (862) 187
Reinert, A., Treede, R.-D. and Bromm, B.
The pain inhibiting pain effect: an electrophysiological study in humans (862) 103
Richy, S., Burlet, A., Max, J.-P., Burlet, C. and Beck, B.
Effect of chronic intraperitoneal injections of leptin on hypothalamic neurotensin content and food intake (862) 276
Ríos, C., see Pérez-Severiano, F. (862) 234
Robens, J., see Duvauchelle, C.L. (862) 49
Roberts, J.L., see Wu, T.J. (862) 238
Rosene, D.L., see Sloane, J.A. (862) 1

Safa, R. and Osborne, N.N.
Retinas from albino rats are more susceptible to ischaemic damage than age-matched pigmented animals (862) 36
Sakuma, Y., see Kato, A. (862) 90
Salas, J., see Fekete, C. (862) 154
Segovia, J., see Pérez-Severiano, F. (862) 234
Shin, E.-J., see Kim, H.-C. (862) 247
Shirane, M., see Nakamura, K. (862) 266
Simone, D.A., see Hamamoto, D.T. (862) 217
Skaper, S.D., see Ceccon, M. (862) 83
Sloane, J.A., Hollander, W., Rosene, D.L., Moss, M.B., Kemper, T. and Abraham, C.R.
Astrocytic hypertrophy and altered GFAP degradation with age in subcortical white matter of the rhesus monkey (862) 1
Solenski, N.J. and Kwan, A.-L.
Attenuation of free radical generation during reversible focal cerebral ischemia with the nitric oxide inhibitor, L-NAME (L-N^G-nitro-L-arginine methyl ester) (862) 262
Sur, C., see Chadha, A. (862) 280
Suzuki, T., see Yajima, Y. (862) 120
Swank, M.W.
Conditioned c-Fos in mouse NTS during expression of a learned taste aversion depends on contextual cues (862) 138
Swzeda, L.I., see Reagan, L.P. (862) 292
Sydserff, S.G., Cross, A.J., Murray, T.K., Jones, J.A. and Green, A.R.
Clomethiazole is neuroprotective in models of global and focal cerebral ischemia when infused at doses producing clinically relevant plasma concentrations (862) 59
Szalay, F., see Hajós, F. (862) 43

Takahashi, M., Iseki, E. and Kosaka, K.
Cyclin-dependent kinase 5 (Cdk5) associated with Lewy bodies in diffuse Lewy body disease (862) 253
Takahashi-Nakano, Y., see Yajima, Y. (862) 120

Taki, K., see Kamei, J. (862) 257
Tolentino-Silva, F.P., Haxhiu, M.A., Waldbaum, S., Dreshaj, I.A. and Ernsberger, P.
α_2-Adrenergic receptors are not required for central anti-hypertensive action of moxonidine in mice (862) 26
Treede, R.-D., see Reinert, A. (862) 103
Tseng, L.F., see Yajima, Y. (862) 120
Tsukada, H., Kakiuchi, T., Fukumoto, D., Nishiyama, S. and Koga, K.
Docosahexaenoic acid (DHA) improves the age-related impairment of the coupling mechanism between neuronal activation and functional cerebral blood flow response: a PET study in conscious monkeys (862) 180
Tu, H., see Fekete, C. (862) 154

Van Bueren, A., see Reagan, L.P. (862) 292

Waldbaum, S., see Tolentino-Silva, F.P. (862) 26
Welch, C.C., see Kim, E.-M. (862) 11
Wilcox, R.E., see Raofi, S. (862) 230
Wong, P.K.Y., see Raofi, S. (862) 230
Wu, T.J., Gibson, M.J. and Roberts, J.L.
Effect of *N*-methyl-D,L-aspartate (NMA) on gonadotropin-releasing hormone (GnRH) gene expression in male mice (862) 238

Yajima, Y., Narita, M., Takahashi-Nakano, Y., Misawa, M., Nagase, H., Mizoguchi, H., Tseng, L.F. and Suzuki, T.
Effects of differential modulation of μ-, δ- and κ-opioid systems on bicuculline-induced convulsions in the mouse (862) 120
Ye, J.-H.
Physiology and pharmacology of native glycine receptors in developing rat ventral tegmental area neurons (862) 74
Yee, D.K., see Reagan, L.P. (862) 292

Zatylny, C., see Henry, J. (862) 162
Zhang, J., see Jen, P.H.-S. (862) 127
Zhao, W., see Liu, Y. (862) 111